

GE Consumer & Industrial
Lighting



Small.
Naturally.



GE imagination at work





Small. Naturally.

The new GE T2 size compact bulb is unique in providing high efficiency, but also stylish design, a flicker free start and outstanding light quality - so light years away from some of the original energy- saving bulbs from the past.

Save time.

A GE T2 size compact bulb fluorescent lasts 6 times longer than incandescents (6,000h instead of 1,000h) even though they are a fraction of the size (the 8W type is only 86 mms).

Save the environment.

In a normal incandescent bulb 90% of the heat is wasted - with only 10% converted into practical light. GE T2 Energy Efficient bulbs use 2,200°C less heat than traditional bulbs. If every European household installed 3 GE T2 size compact bulbs enough energy would be saved in a year to supply all street lighting. Try the new GE T2 size spirals - your natural choice for energy efficient lighting



Actual size
of GE T2 8W spiral




GE imagination at work



Watt	Cap	Description	Pack type	Tube Size	Length (mm)	Diameter (mm)	Energy Class	Lumen	SKU
T2 Spiral									
8	E27	OT FLE8HLX/T2/827/E27 BX 1/10 GE 6Y TS	box	T2	86.5	46	A	460	45251
8	B22	OT FLE8HLX/T2/827/B22 BX 1/10 GE 6Y TS	box	T2	86.5	46	A	460	45253
8	E14	OT FLE8HLX/T2/827/E14 BX 1/10 GE 6Y TS	box	T2	86.5	46	A	460	45254
8	E27	OT FLE8HLX/T2/827/E27 BL 1/10 GE 6Y TS	blister	T2	86.5	46	A	460	45255
8	B22	OT FLE8HLX/T2/827/B22 BL 1/10 GE 6Y TS	blister	T2	86.5	46	A	460	45256
8	E14	OT FLE8HLX/T2/827/E14 BL 1/10 GE 6Y TS	blister	T2	86.5	46	A	460	45257
12	E27	OT FLE12HLX/T2/827/E27 BX 1/10 GE 6Y TS	box	T2	100	53	A	700	45260
12	B22	OT FLE12HLX/T2/827/B22 BX 1/10 GE 6Y TS	box	T2	100	53	A	700	45265
12	E14	OT FLE12HLX/T2/827/E14 BX 1/10 GE 6Y TS	box	T2	100	53	A	700	45267
12	E27	OT FLE12HLX/T2/827/E27 BL 1/10 GE 6Y TS	blister	T2	100	53	A	700	45268
12	B22	OT FLE12HLX/T2/827/B22 BL 1/10 GE 6Y TS	blister	T2	100	53	A	700	45269
12	E14	OT FLE12HLX/T2/827/E14 BL 1/10 GE 6Y TS	blister	T2	100	53	A	700	45270
15	E27	OT FLE15HLX/T2/827/E27 BX 1/10 GE 6Y TS	box	T2	100	53	A	950	45271
15	B22	OT FLE15HLX/T2/827/B22 BX 1/10 GE 6Y TS	box	T2	100	53	A	950	45272
15	E27	OT FLE15HLX/T2/827/E27 BL 1/10 GE 6Y TS	blister	T2	100	53	A	950	45277
15	B22	OT FLE15HLX/T2/827/B22 BL 1/10 GE 6Y TS	blister	T2	100	53	A	950	45295

a product of
ecomaginationSM

www.ge.com/eu/lighting

 and General Electric are both registered trademarks of the General Electric Company

GE Lighting is constantly developing and improving its products. For this reason, all product descriptions in this brochure are intended as a general guide, and we may change specifications time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, GE Lighting cannot accept any liability arising from the reliance on such data to the extent permitted. T2 Leaflet - February 2007

